

SAFETY DATA SHEET

1. Identification

Product name

STABYL CP2

Other means of identification

No data available.

Recommended use:

Lubricating grease

Restrictions on use:

Industrial use only

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name:

Fuchs Lubricants Co.

Address:

17050 Lathrop Avenue Harvey, Illinois 60426

Telephone:

708-333-8900

Fax:

708-333-9180

Contact Person:

EHS Department

E-mail:

sds@fuchsus.com

Emergency telephone number: 708-333-8900 (Bus. hrs) 800-255-3924 (24 hrs)

2. Hazard(s) identification

Hazard Classification

Health Hazards

Serious Eye Damage/Eye Irritation

Category 2B

Toxic to reproduction

Category 2

Label Elements

Hazard Symbol:



Signal Word:

Warning



Hazard Statement:

Causes eye irritation.

Suspected of damaging fertility or the unborn child.

Precautionary Statements

Prevention:

Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use

personal protective equipment as required.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get

medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

Unknown toxicity - Health

Acute toxicity, oral

36.95 %

Acute toxicity, dermal

12.66 %

Acute toxicity, inhalation, vapor

71.16 %

Acute toxicity, inhalation, dust

67.07 %

or mist

3. Composition/information on ingredients

Hazardous Component(s):

Chemical name	CAS-No.	Concentration
Mineral oil	Confidential	20 - <50%
Sulfonate	Confidential	5 - <10%
Mineral oil	Confidential	5 - <10%
Graphite	7782-42-5	5 - <10%
Polyisobutylene	Confidential	5 - <10%
Calcium carbonate	471-34-1	1 - <5%
Copper	7440-50-8	1 - <5%
Phosphate ester	Confidential	0.1 - <1%
2-6-di-tert-butyl-p-cresol	128-37-0	0.1 - <1%
Phosphoric acid, triphenyl ester	115-86-6	0.1 - <1%

Specific chemical identities and/or exact percentages have been withheld as trade secrets.



4. First-aid measures

Ingestion:

Rinse mouth thoroughly. Call a POISON CENTRE/doctor if you feel unwell.

Do NOT induce vomiting.

Inhalation:

Move to fresh air. Call a POISON CENTRE/doctor if you feel unwell.

Skin Contact:

Remove contaminated clothing and shoes. Wash contact areas with soap

and water. If skin irritation occurs: Get medical advice/attention.

Eye contact:

Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get

medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms:

No data available.

Indication of immediate medical attention and special treatment needed

Treatment:

Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards:

No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam. Use fire-

extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Heat may cause the containers to explode. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Ensure adequate ventilation.

Methods and material for containment and cleaning up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:

Observe good industrial hygiene practices. Wear appropriate personal protective equipment. Do not expose to intense heat as product may expand and pressurize container. Avoid contact with eyes. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

Conditions for safe storage, including any incompatibilities:

Store in original tightly closed container. Avoid contact with oxidizing agents. Store away from incompatible materials. Store locked up.



8. Exposure controls/personal protection

Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source	
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Mineral oil - Mist.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Graphite - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)	
Graphite - Total dust,	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Graphite - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Graphite	TWA	15 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000 (2000)	
Calcium carbonate - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Calcium carbonate - Respirable fraction.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Copper - Fume as Cu	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Copper - Dust and mist as Cu	PEL	1 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
Copper - Dust and mist as Cu	TWA	1 mg/m3	US. ACGIH Threshold Limit Values (03 2014)	
Copper - Fume, - as Cu	TWA	0.2 mg/m3	US. ACGIH Threshold Limit Values (03 2014)	
2-6-di-tert-butyl-p-cresol - Inhalable fraction and vapor.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (03 2012)	
Phosphoric acid, triphenyl ester	TWA	3 mg/m3	US. ACGIH Threshold Limit Values (03 2012)	
Phosphoric acid, triphenyl ester	PEL	3 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	

Protective Measures:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from supervisor on the company's respiratory protection standards.

Eye Protection:

Wear safety glasses with side shields (or goggles).



Skin and Body Protection:

Wear chemical-resistant gloves, footwear, and protective clothing appropriate

for the risk of exposure. Contact health and safety professional or manufacturer

for specific information.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear

that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:

Form:

Color:

Odor:

Odor threshold:

pH:

Melting point/freezing point: Initial boiling point and boiling range:

Flash Point:

Evaporation rate:

Flammability (solid, gas):

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Flammability limit - lower (%): Explosive limit - upper (%):

Explosive limit - lower (%): Vapor pressure:

Vapor density:

Relative density:

Solubility(ies)

Solubility in water:

Solubility (other): Partition coefficient (n-octanol/water):

Auto-ignition temperature: Decomposition temperature:

Viscosity:

solid

Grease

Black

Mild

No data available.

No data available.

No data available. No data available.

212 °C (414 °F)

No data available. No data available.

No data available.

No data available. No data available.

No data available.

No data available.

No data available.

0.958

insoluble

No data available.

No data available.

No data available. No data available.

> 22 mm2/s (40 °C, estimated)

10. Stability and reactivity

Reactivity:

Not reactive during normal use.



Chemical Stability:

Material is stable under normal conditions.

Possibility of hazardous

reactions:

None under normal conditions.

Conditions to avoid:

Avoid heat or contamination.

Incompatible Materials:

No data available.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Ingestion:

May be ingested by accident. Ingestion may cause irritation and malaise.

Harmful if swallowed.

Inhalation:

None under normal conditions.

Skin Contact:

Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact:

Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:

No data available.

Inhalation:

No data available.

Skin Contact:

No data available.

Eye contact:

No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

ATEmix (): > 5000 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Inhalation

Product:

ATEmix (, 4 h): > 5 mg/l Dusts, mists and fumes

Repeated dose toxicity

Product:

No data available.



Skin Corrosion/Irritation

Product:

No data available.

Serious Eye Damage/Eye Irritation

Product:

No data available.

Respiratory or Skin Sensitization

Product:

No data available.

Carcinogenicity

Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

No data available.

Other effects:

No data available.

12. Ecological information

General information:

This product has not been evaluated for ecological toxicity or other

environmental effects.

13. Disposal considerations



Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local

laws. Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. It is the responsibility of the product user or owner to determine at the time of disposal, which waste regulations must

be applied.

Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for

recycling or disposal.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

15. Regulatory information

US Federal Regulations

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Crystalline silica

kidney effects lung effects

immune system effects

Cancer

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Serious Eye Damage/Eye Irritation Toxic to reproduction

SARA 313 (TRI Reporting)

Reporting threshold for Reporting threshold for manufacturing and

Chemical Identity

Copper

other users

10000 lbs

processing 25000 lbs.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.



16.Other information, including date of preparation or last revision

issue Date:

21.02.2018

Revision Date:

21.02.2018

Version #:

1.2

Further Information:

No data available.

Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.